

Elementary survival strategy: first record of death-feigning behavior in *Atractus pantostictus* (Colubridae, Dipsadinae)

César Alexandre^{1*}, Allan Souza², Edélcio Muscat²

1 Laboratório de Coleções Zoológicas (LCZ),
Instituto Butantan CEP, 05503-90, São Paulo, SP,
Brazil.

2 Projeto Dacnis. Estrada do Rio Escuro, 4.754,
Sertão das Cotias, CEP 11680000, Ubatuba, SP,
Brasil.

* Corresponding author email: cesaralexandre01@hotmail.com

Editor de Área: Henrique Caldeira Costa

Data Submissão: 19/02/2025

Data Aceite: 14/08/2025

DOI: [10.5281/zenodo.17361198](https://doi.org/10.5281/zenodo.17361198)

Resumo

Este estudo apresenta o primeiro registro da adoção de estratégias defensivas primárias (criptismo) e secundárias (comportamentos) em uma serpente do gênero *Atractus*. Durante um trabalho de campo em Santana da Vargem, Minas Gerais, foi observada a atividade de *death-feigning* (tanatose) em um indivíduo de *Atractus pantostictus*. O evento permitiu documentar uma sequência de respostas defensivas exibidas pelo animal. Ao ser tocado suavemente, o indivíduo inicialmente permaneceu imóvel, passando em seguida a realizar contorções corporais e, por fim, o enrolamento do tronco, simulando morte. Todo o repertório comportamental teve duração aproximada de vinte segundos, sendo sucedido por fuga. Este registro amplia o conhecimento sobre os mecanismos de defesa em espécies fossoriais, como *A. pantostictus*, e contribui para a compreensão dos comportamentos antipredatórios no gênero *Atractus*, cuja história natural ainda é pouco conhecida.

Palavras-chave: comportamento antipredatório; defesa primária; tanatose; defesa secundária.

Abstract

This study reports the first record of primary (cryptis) and secondary (behavioral) defensive strategies in a snake of the genus *Atractus*. During fieldwork conducted in Santana da Vargem, Minas Gerais, southeastern Brazil, a *death-feigning* (thanatosis) behavior was observed in an individual of *Atractus pantostictus*. The event allowed the documentation of a sequence of defensive responses exhibited by the snake. When gently touched, the individual initially remained motionless, then performed body contortions, and finally coiled its trunk while simulating death. The entire behavioral sequence lasted approximately twenty seconds and was followed by escape. This record expands the knowledge of defense mechanisms in fossorial species such as *A. pantostictus*. It contributes to the understanding of antipredator behaviors in the genus *Atractus*, whose natural history remains poorly known.

Keywords: antipredator behavior; primary defense, thanatosis; secondary defense.

The evolutionary arms race drives the continuous diversification of behavioral and morphological traits, shaping both predatory and defensive adaptations (Dawkins & Krebs, 1979; Abrams, 1986). These interactions are illustrated by empirical observations of natural history, particularly within predator-prey interaction, which are essential for understanding the adaptive value of defensive traits (Bates, 1862; Greene, 2005). Defense mechanisms are remarkably widespread across all classes of living organisms, highlighting their evolutionary importance (Skelhorn, 2018; Carli & Farabollini, 2022). Among terrestrial tetrapods, selective pressures have favored an extensive defensive repertoire (Caro, 2014), organized into two key strategies: primary defense, which prevents detection (e.g., camouflage, cryptic behavior), and secondary defense, deployed after detection (e.g., escape, thanatosis) (Edmunds, 1974; Greene, 1988; Kumar *et al.*, 2019).

One widely documented defensive behavior against predators is death-feigning behavior (Honma *et al.*, 2006), also known as thanatosis (Humphreys & Ruxton, 2018). This behavior is normally interpreted as an anti-predatory strategy aimed at disrupting the predator's behavior, particularly those predators that rely on movement to detect or subdue prey (Miyatake *et al.*, 2004; Humphreys & Ruxton, 2018).

Many squamates are bottom-level consumers in food chains, making them vulnerable to predation. Therefore, death-feigning plays a fundamental role in the survival of individuals of this group (Martins, 1996; Fuentes *et al.*, 2021; Miranda *et al.*, 2023). Snakes are prey to a variety of predators, both vertebrates and invertebrates (Voris & Murphy, 2002; Maitland, 2003; Nyffeler & Gibbons, 2021). The genus *Atractus* is extremely diverse, with approximately 180 species distributed exclusively in the Americas (Passos *et al.*, 2024; Uetz *et al.*, 2025). *Atractus* species are typically burrowers, (Ferreira-Silva *et al.*, 2019) and have been recorded as prey for a wide variety of animals such as other species of snakes (Da Silva *et al.*, 2015; Souza *et al.* 2011; Rojas-Morales, 2013), and even fish (Snyder, 2016). Nonetheless, little is known about the behavior of *Atractus* species (Oliveira *et al.*, 2008; Passos *et al.*, 2010).

Among snakes, the repertoire of primary defenses is vast, including camouflage, disruptive coloration, and

aposematism (Sazima & Abe, 1991; Valkonen *et al.*, 2011; Muscat *et al.*, 2024). They also exhibit a variety of secondary defenses, such as head triangulation, neck flattening, balling, and death-feigning (Bustard, 1969; Tozetti *et al.*, 2009; Muscat & Entiauspe-Neto, 2016; Fuentes *et al.*, 2021). Some species have been shown to enhance death-feigning behavior with odors released through cloacal discharge (Gehlbach, 1970; Menezes *et al.*, 2017; Golubović *et al.*, 2021).

We here present the first record of death-feigning behavior in a snake of the genus *Atractus*. On November 19, 2024, in Santana da Vargem, Minas Gerais (21°14'56"S, 45°30'41"W), during fieldwork, an individual *A. pantostictus* was spotted moving along the side of a trail. The behaviors of the observed snake were analyzed through *ad libitum* sampling (Altmann, 1974). When the researcher (AS) approached the individual, it remained motionless. When carefully touched with the tip of a pen, the snake exhibited death-feigning behavior, remaining motionless (Fig 1A). When further disturbed by touch, the snake contorted its body into irregular bends and flexures (Fig. 1B) and coiled tightly (Fig. 1C), corresponding to Behaviors 53 and 58 described by Carpenter & Ferguson (1977). The entire death-feigning sequence lasted approximately 20 seconds, after which the snake moved away rapidly. These behaviors were recorded on video; the recording was deposited in the Coleção Audiovisual do Museu de Zoologia Adão José Cardoso, at Universidade Estadual de Campinas, under catalogue number ZUEC-PIC1199 ZUEC-VID 1342).

Death-feigning is an important defensive behavior as some predators may refuse to ingest previously dead prey (Francq, 1968; Barnard, 1983). Furthermore, temporary immobility may allow for an escape attempt if the predator becomes distracted (Caro, 2014). *Atractus pantostictus* appears to employ camouflage as primary defense mechanism, as its brown coloration makes it difficult to be visually detected (Stevens & Merilaita, 2011). However, when a potential predator is detected, it may display death-feigning (Honma *et al.*, 2006; Tan *et al.*, 2024). The observations and records presented here expand the behavioral knowledge of the defensive repertoire of *Atractus pantostictus*. this fascinating group of snakes.




Figura 1. Different stages of death-feigning behavior in *Atractus pantostictus*. When the individual is stressed, it remains static (A); contorts the body with irregular flexures (B); and coils the body (C). Red arrows indicate points of exposure of the belly caused by contractions.

ACKNOWLEDGEMENTS

We acknowledge the support of FAPESP through research scholarship (FAPESP: 2023/12640-6). Our gratitude extends to Elsie Rotenberg for her critical reading support and to Francisco Luís Franco and Renato Silveira Bérnils for confirming the species identification.

REFERENCES

- Abrams P.A. 1986. Is predator-prey coevolution an arms race? *Trends in Ecology & Evolution* 1(4):108–110. doi:10.1016/0169-5347(86)90037-6.
- Altmann J. 1974. Observational sampling methods. *Animal Behaviour* 49:227–266.
- Barnard C.J. 1983. Anti-Predator Behaviour. Pp. 201–217, in Barnard C.J. (Ed.), *Animal Behaviour*. Springer, Boston. doi:10.1007/978-1-4615-9781-0_7.
- Bates H.W. 1862. *The Naturalist on the River Amazons: A Record of Adventures, Habits of Animals, Sketches of Brazilian and Indian Life, and Aspects of Nature under the Equator, during Eleven Years of Travel*. John Murray, London.
- Bustard H.R. 1969. Defensive behavior and locomotion of the Pacific boa, *Candoia aspera*, with a brief review of head concealment in snakes. *Herpetologica* 25(3):164–170.
- Carli G., Farabollini F. 2022. Introduction to defensive behavior in vertebrates. *Progress in Brain Research* 271:1–24. doi:10.1016/bs.pbr.2022.02.002.
- Caro T. 2014. Antipredator deception in terrestrial vertebrates. *Current Zoology* 60(1):16–25. doi:10.1016/j.regsciurbeco.2008.06.005.
- Carpenter C.C., Ferguson G.W. 1977. Variation and evolution of stereotyped behavior in reptiles. Pp. 335–554, in Gans C., Tinkle D.W. (Eds.), *Biology of the Reptilia: Ecology and Behavior A*, Vol. 7. Academic Press, London.
- Da Silva C.F., Alcantara E.P., Oliveira H.F., Matias C.S.L., Ávila R.W. 2015. *Bothrops leucurus* (Whitetail Lancehead) diet. *Herpetological Review* 46(4):637.
- Dawkins R., Krebs J.R. 1979. Arms races between and within species. *Proceedings of the Royal Society B: Biological Sciences* 205(1161):489–511.
- Edmunds M. 1974. *Defense in animals: A survey of antipredator defenses*. Longman Publishing, New York.

- Fernandes R., Puerto G. 1993. A new species of *Atractus* from Brazil and the status of *A. guentheri* (Serpentes: Colubridae). *Memórias do Instituto Butantan* 55(1):7–14.
- Ferreira-Silva C., Ribeiro S.C., De Alcantara E.P., Ávila R.W. 2019. Natural history of the rare and endangered snake *Atractus ronnie* (Serpentes: Colubridae) in northeastern Brazil. *Phyllomedusa* 18(1):77–87. doi:10.11606/issn.2316-9079.v18i1p77-87.
- Francq E.N. 1968. Behavioral aspects of feigned death in the opossum *Didelphis marsupialis*. *The American Midland Naturalist* 81(2):556–568.
- Fuentes R., Castillo M., Belton E., et al. 2021. Dead snake! A strategy for survival: Thanatosis in some Panamanian snakes with a review of death-feigning in American snakes. *Reptiles & Amphibians* 28:389–396. doi:10.17161/randa.v28i3.15753.
- Gehlbach F.R. 1970. Death-feigning and erratic behavior in leptotyphlopids, colubrids, and elapid snakes. *Herpetologica* 26(1):24–34.
- Golubović A., Anđelković M., Tomović M., Arsovski D., Gvozdenović S., Šukalo G., Ajtić R., Bonnet X. 2021. Death-feigning propensity varies within dice snake populations but not with sex or colour morph. *Journal of Zoology* 314(3):203–210. doi:10.1111/jzo.12882.
- Greene H.W. 1988. Antipredator mechanisms in reptiles. Pp. 1–153, in Gans C., Huey R.B. (Eds.), *Biology of the Reptilia*. Alan R. Liss, New York.
- Greene H.W. 2005. Organisms in nature as a central focus for biology. *Trends in Ecology & Evolution* 20:23–27. doi:10.1016/j.tree.2004.11.005.
- Guedes T.B., Entiauspe-Neto O.M., Costa H.C. 2023. Lista de répteis do Brasil: atualização de 2022. *Herpetologia Brasileira* 12(1):156–161. doi:10.5281/zenodo.7829013.
- Gregory P.T. 2016. Responses of natricine snakes to predatory threat: A mini-review and research prospectus. *Journal of Herpetology* 50(2):183–195. doi:10.1670/15-103.
- Honma A., Oku S., Nishida T. 2006. Adaptive significance of death feigning posture as a specialized inducible defence against gape-limited predators. *Proceedings of the Royal Society B: Biological Sciences* 273(1594):1631–1636. doi:10.1098/rspb.2006.3501.
- Humphreys R.K., Ruxton G.D. 2018. A review of thanatosis (death feigning) as an anti-predator behaviour. *Behavioral Ecology and Sociobiology* 72(2):1–11. doi:10.1007/s00265-017-2436-8.
- Kumar R., Swapnil P., Meena M. 2019. Secondary defenses. *Encyclopedia of Animal Cognition and Behavior* 1–6. doi:10.1007/978-3-319-47829-6.
- Maitland D.P. 2003. Predation on snakes by the freshwater land crab *Eudaniela garmani*. *Journal of Crustacean Biology* 23(1):241–246. doi:10.1163/20021975-99990331.
- Martins M. 1996. Defensive tactics in lizards and snakes: The potential contribution of the Neotropical fauna. *Anais de Etologia* 14:185–199.
- Menezes F.A., Fiorillo B.F., Franco L.F., Feio R.N. 2017. Repertoire of antipredator displays in the poorly known snake *Gomesophis brasiliensis* (Gomes, 1918) from the Atlantic Forest. *Herpetology Notes* 10:245–247.
- Miranda R.B., Klaczko J., Tonini J.F.R., Brandão R.A. 2023. Escaping from predators: A review of Neotropical lizards' defence traits. *Ethology Ecology and Evolution* 35(4):377–407. doi:10.1080/03949370.2022.2082538.
- Miyatake T., Katayama K., Takeda Y., et al. 2004. Is death-feigning adaptive? Heritable variation in fitness difference of death-feigning behaviour. *Proceedings of the Royal Society B: Biological Sciences* 271:2293–2296. doi:10.1098/rspb.2004.2858.
- Muscat E., Entiauspe-Neto O. 2016. *Chironius foveatus* (Atlantic Forest Sipo Snake). Defensive behavior. *Herpetological Review* 47(3):475.
- Muscat E., Moroti M.T., Sazima I., Toledo L.F., Rebouças R. 2024. Are plasticine models efficient to test defensive colouration of snakes? *Herpetological Journal* 34(2):75–83. doi:10.33256/34.2.7583.
- Nyffeler M., Gibbons W.J. 2021. Spiders (Arachnida: Araneae) feeding on snakes (Reptilia: Squamata). *Journal of Arachnology* 49(1):1–27. doi:10.1636/JoA-S-20-050.
- Oliveira L., Jared C., Prudente A.L.C., Zaher H., Antoniazzi M.M. 2008. Oral glands in dipsadine “goo-eater” snakes: Morphology and histochemistry of the infralabial glands in *Atractus reticulatus*, *Dipsas indica*,

- and *Sibynomorphus mikanii*. *Toxicon* 51:898–913. doi:10.1016/j.toxicon.2007.12.021.
- Passos P., Meneses-Pelayo E., Ramos O.L., Martins R.A., Machado A., Lopes R.T., Barrio-Amorós C., Lynch J.D. 2024. Taxonomy without borders: Revision of the genus *Atractus* (Serpentes: Dipsadidae) from the Andes between Colombia and Venezuela. *South American Journal of Herpetology* 32:1–123.
- Passos P., Fernandes R., Moura-Leite J.C.D.E. 2010. Taxonomic revision of the Brazilian Atlantic Forest *Atractus* (Reptilia: Serpentes: Dipsadidae). *Zootaxa* 63:1–63.
- Rojas-Morales J.A. 2013. Description of ophiophagy in *Clelia equatoriana* (Amaral, 1924) (Serpentes: Dipsadidae) in captivity. *Herpetology Notes* 6:425–426.
- Sazima I., Abe A.S. 1991. Habits of five Brazilian snakes with coral-snake pattern, including a summary of defensive tactics. *Studies on Neotropical Fauna and Environment* 26(3):159–164. doi:10.1080/01650529109360848.
- Skelhorn J. 2018. Avoiding death by feigning death. *Current Biology* 28(19):R1135–R1136. doi:10.1016/j.cub.2018.07.070.
- Snyder A.M. 2016. *Atractus trilineatus*. Predation. *Herpetological Review* 47:308–309.
- Souza S.M., Junqueira A.B., Catarina A., et al. 2011. Feeding behavior and ophiophagous habits of two poorly known Amazonian coral snakes, *Micrurus albicinctus* Amaral 1926 and *Micrurus paraensis* Cunha and Nascimento 1973 (Squamata, Elapidae). *Herpetology Notes* 4:369–372.
- Stevens M., Merilaita S. 2011. *Animal Camouflage: Function and Mechanisms*. Cambridge University Press, Cambridge.
- Tan M., Zhang S., Stevens M., Li D., Tan E.J. 2024. Antipredator defences in motion: Animals reduce predation risks by concealing or misleading motion signals. *Biological Reviews* 99(3):778–796. doi:10.1111/brv.13044.
- Tozetti A.M., Oliveira R.B., Pontes G.M.F. 2009. Defensive repertoire of *Xenodon dorbignyi* (Serpentes, Dipsadidae). *Biota Neotropica* 9(3):157–163. doi:10.1590/S1676-06032009000300016.
- Uetz P., Freed P., Aguilar R., Reyes F., Kudera J., Hošek J. (Eds.). 2025. The reptile database. Accessible at <http://www.reptile-database.org/>. Accessed 03 February 2025.
- Voris H.K., Murphy J.C. 2002. The prey and predators of homalopsine snakes. *Journal of Natural History* 36(13):1621–1632. doi:10.1080/00222930110062642.
- Valkonen J., Niskanen M., Björklund M., Mappes J. 2011. Disruption or aposematism? Significance of dorsal zigzag pattern of European vipers. *Evolutionary Ecology* 25(5):1047–1063. doi:10.1007/s10682-011-9463-0.



César Alexandre “Biólogo com atuação em estudos principalmente sobre répteis e anfíbios. Sua pesquisa abrange morfologia comparada de diferentes estruturas anatômicas, integrando abordagens em toxicologia, etologia e história natural. Biologist primarily engaged in studies on reptiles and amphibians. His research encompasses comparative morphology of different anatomical structures, integrating approaches in toxicology, ethology, and natural history.”



Allan Souza “Graduando em Ciências Biológicas, com foco em ecologia e comportamento de primatas. Conduz estudos sobre sementes de árvores nativas e atua como guia na Serra da Mantiqueira. Integra a equipe do Projeto Dacnis como estagiário, em São Francisco Xavier (SP). Undergraduate student in Biological Sciences, focusing on the ecology and behavior of primates. Conducts studies on native tree seeds and works as a guide in the Serra da Mantiqueira mountain range. Is part of the Dacnis Project team as an intern in São Francisco Xavier (SP).”



Edelcio Muscat “Biólogo, ex-professor universitário e coordenador-geral de pesquisa do Projeto Dacnis, com atuação nos núcleos de Ubatuba, São Francisco Xavier e Miracatu (SP). Dedicou-se à História Natural há mais de uma década. Biologist, former university professor, and general research coordinator of the Dacnis Project, with activities in the nuclei of Ubatuba, São Francisco Xavier, and Miracatu, São Paulo State, Brazil. He has been dedicated to Natural History studies for over a decade.”