Répteis brasileiros: Lista de espécies

Henrique Caldeira Costa[1], Renato Silveira Bérnils[2]

[1] *Universidade Federal de Minas Gerais, Instituto de Ciências Biológicas, Departamento de Zoologia, Laboratório de Herpetologia. CEP 31270-901. Belo Horizonte, MG. E-mail: ccostah@gmail.com*
[2] *Universidade Federal do Espírito Santo, Campus Litorâneo, Centro Universitário Norte do Espírito Santo, Departamento de Ciências Agrárias e Biológicas. CEP 29932-540, São Mateus, ES. E-mail: renatobernils@gmail.com*

A lista a seguir inclui todas as espécies e subespécies de répteis com ocorrência conhecida para o território brasileiro (nomes em vermelho representam adições em relação à listagem de Bérnils e Costa, 2012). A nomenclatura adotada segue Carrasco *et al.* (2012), Grazziotin *et al.* (2012), Harvey *et al.* (2012), Hedges e Conn (2012), Nicholson *et al.* (2012, 2014), Ribeiro *et al.* (2012), Jadin *et al.* (2013), Pyron *et al.* (2013) (em partes), Hedges (2014), Hedges *et al.* (2014), Pyron e Wallach (2014) e Turtle Taxonomy Group (2014). A fauna de répteis do Brasil consiste de 760 espécies, mais 48 subespécies, totalizando 808 táxons, divididos em Testudines (36 spp.), Crocodylia (6 spp.) e Squamata ("Lagartos", 260 spp. + 8 sspp.; Amphisbaenia, 72 spp.; e Serpentes, 386 spp. + 40 sspp.).

RÉPTEIS (760 spp. / 808 spp. + sspp.)
TESTUDINES BATSCH, 1788 (36 / 36)
CHELIDAE GRAY, 1825 (20 / 20)
Chelinae Gray, 1825 (18 / 18)

1. *Acanthochelys macrocephala* (Rhodin, Mittermeier & McMorris, 1984)
2. *Acanthochelys radiolata* (Mikan, 1820)
3. *Acanthochelys spixii* (Duméril & Bibron, 1835)
4. *Chelus fimbriata* (Schneider, 1783)
5. *Mesoclemmys gibba* (Schweigger, 1812)
6. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2001)
7. *Mesoclemmys hogei* (Mertens, 1967)
8. *Mesoclemmys nasuta* (Schweigger, 1812)
9. *Mesoclemmys perplexa* Bour & Zaher, 2005
10. *Mesoclemmys raniceps* (Gray, 1856)
11. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
12. *Mesoclemmys vanderhaegei* (Bour, 1973)
13. *Phrynops geoffroanus* (Schweigger, 1812)
14. *Phrynops hilarii* (Duméril & Bibron, 1835)
15. *Phrynops tuberosus* (Peters, 1870)
16. *Phrynops williamsi* Rhodin & Mittermeier, 1983
17. *Platemys p. platycephala* (Schneider, 1792)
18. *Rhinemys rufipes* (Spix, 1824)

Hydromedusinae Baur, 1893 (2 / 2)

19. *Hydromedusa maximiliani* (Mikan, 1825)
20. *Hydromedusa tectifera* Cope, 1870

CHELONIIDAE OPPEL, 1811 (4 / 4)
Carettinae Gray, 1825 (3 / 3)

21. *Caretta caretta* (Linnaeus, 1758)
22. *Eretmochelys imbricata* (Linnaeus, 1766)
23. *Lepidochelys olivacea* (Eschscholtz, 1829)

Cheloniinae Oppel, 1811 (1 / 1)

24. *Chelonia mydas* (Linnaeus, 1758)

DERMOCHELYIDAE FITZINGER, 1843 (1 / 1)

25. *Dermochelys coriacea* (Vandelli, 1761)

EMYDIDAE RAFINESQUE, 1815 (2 / 2)
Deirochelyinae Agassiz, 1857 (2 / 2)

26. *Trachemys adiutrix* Vanzolini, 1995
27. *Trachemys dorbigni* (Duméril & Bibron, 1835)

GEOEMYDIDAE THEOBALD, 1868 (1 / 1)
Rhinoclemmydinae Gray, 1873 (1 / 1)

28. *Rhinoclemmys p. punctularia* (Daudin, 1801)

KINOSTERNIDAE AGASSIZ, 1857 (1 / 1)
Kinosterninae Agassiz, 1857 (1 / 1)

29. *Kinosternon s. scorpioides* (Linnaeus, 1766)

PODOCNEMIDIDAE COPE, 1869 (5 / 5)

30. *Peltocephalus dumerilianus* (Schweigger, 1812)
31. *Podocnemis erythrocephala* (Spix, 1824)
32. *Podocnemis expansa* (Schweigger, 1812)
33. *Podocnemis sextuberculata* Cornalia, 1849

34. *Podocnemis unifilis* Troschel, 1848

TESTUDINIDAE BATSCH, 1788 (2 / 2)

35. *Chelonoidis carbonarius* (Spix, 1824)
36. *Chelonoidis denticulatus* (Linnaeus, 1766)

CROCODYLIA GMELIN, 1789 (6 / 6)
ALLIGATORIDAE CUVIER, 1807 (6 / 6)
Caimaninae Norell, 1988 (6 / 6)

37. *Caiman c. crocodilus* (Linnaeus, 1758)
38. *Caiman latirostris* (Daudin, 1801)
39. *Caiman yacare* (Daudin, 1801)
40. *Melanosuchus niger* (Spix, 1825)
41. *Paleosuchus palpebrosus* (Cuvier, 1807)
42. *Paleosuchus trigonatus* (Schneider, 1801)

SQUAMATA OPPEL, 1811 (718 / 766)
Grupos tradicionalmente chamados "lagartos" (260 / 268)
ANGUIDAE GRAY, 1825 (4 / 4)
Diploglossinae Boucourt 1873 (4 / 4)

43. *Diploglossus fasciatus* (Gray, 1831)
44. *Diploglossus lessonae* Peracca, 1890
45. *Ophiodes striatus* (Spix, 1825)
46. *Ophiodes yacupoi* Gallardo, 1966

DACTYLOIDAE FITZINGER, 1843 (18 / 18)

47. *Dactyloa dissimilis* (Williams, 1965)
48. *Dactyloa nasofrontalis* (Amaral, 1933)
49. *Dactyloa phyllorhina* (Myers & Carvalho, 1945)
50. *Dactyloa pseudotigrina* (Amaral, 1933)
51. *Dactyloa punctata* (Daudin, 1802)
52. *Dactyloa transversalis* (Duméril, 1851)
53. *Norops auratus* (Daudin, 1802)
54. *Norops bombiceps* (Cope, 1876)
55. *Norops brasiliensis* (Vanzolini & Williams, 1970)
56. *Norops chrysolepis* (Duméril & Bibron, 1837)
57. *Norops fuscoauratus* (D'Orbigny, 1837)
58. *Norops meridionalis* (Boettger, 1885)
59. *Norops ortonii* (Cope, 1868)
60. *Norops planiceps* (Troschel, 1848)
61. *Norops scypheus* (Cope, 1864)
62. *Norops tandai* (Ávila-Pires, 1995)
63. *Norops trachyderma* (Cope, 1875)
64. *Norops williamsii* (Bocourt, 1870)

GEKKONIDAE GRAY, 1825 (6 / 6)

65. *Hemidactylus agrius* Vanzolini, 1978
66. *Hemidactylus brasilianus* (Amaral, 1935)
67. *Hemidactylus mabouia* (Moreau de Jonnès, 1818)
68. *Hemidactylus palaichthus* Kluge, 1969
69. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
70. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)

GYMNOPHTHALMIDAE MERREM, 1820 (87 / 91)
Gymnophthalminae Merrem, 1820 (31 / 31)
Gymnophthalmini Merrem, 1820 (19 / 19)

71. *Calyptommatus confusionibus* Rodrigues, Zaher & Curcio, 2001
72. *Calyptommatus leiolepis* Rodrigues, 1991
73. *Calyptommatus nicterus* Rodrigues, 1991
74. *Calyptommatus sinebrachiatus* Rodrigues, 1991
75. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991
76. *Gymnophthalmus underwoodi* Grant, 1958
77. *Gymnophthalmus vanzoi* Carvalho, 1999
78. *Micrablepharus atticolus* Rodrigues, 1996
79. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
80. *Nothobachia ablephara* Rodrigues, 1984
81. *Procellosaurinus erythrocercus* Rodrigues, 1991
82. *Procellosaurinus tetradactylus* Rodrigues, 1991
83. *Psilophthalmus paeminosus* Rodrigues, 1991
84. *Scriptosaura catimbau* Rodrigues & Santos, 2008
85. *Tretioscincus agilis* (Ruthven, 1916)
86. *Tretioscincus oriximinensis* Ávila-Pires, 1995
87. *Vanzosaura multiscutata* (Amaral, 1933)
88. *Vanzosaura rubricauda* (Boulenger, 1902)
89. *Vanzosaura savanicola* Recoder, Werneck, Teixeira, Colli, Sites & Rodrigues, 2014

Heterodactylini Pellegrino, Rodrigues, Yonenaga-Yassuda & Sites, 2001 (6 / 6)

90. *Caparaonia itaiquara* Rodrigues, Cassimiro, Pavan, Curcio, Verdade & Pellegrino, 2009
91. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
92. *Colobodactylus taunayi* (Amaral, 1933)
93. *Heterodactylus imbricatus* Spix, 1825
94. *Heterodactylus lundii* Reinhardt & Luetken, 1862
95. *Heterodactylus septentrionalis* Rodrigues, Freitas & Silva, 2009

Iphisiini Rodrigues, Cassimiro, Pavan, Curcio, Verdade & Pellegrino, 2009 (6 / 6)

96. *Acratosaura mentalis* (Amaral, 1933)
97. *Acratosaura spinosa* Rodrigues, Cassimiro, Freitas & Silva, 2009
98. *Alexandresaurus camacan* Rodrigues, Pellegrino, Dixo, Verdade, Pavan, Argôlo & Sites, 2007
99. *Colobosaura modesta* (Reinhardt & Luetken, 1862)

100. *Iphisa e. elegans* Gray, 1851
101. *Stenolepis ridleyi* Boulenger, 1887

Alopoglossinae Pellegrino, Rodrigues, Yonenaga-Yassuda & Sites, 2001 (4 / 4)

102. *Alopoglossus angulatus* (Linnaeus, 1758)
103. *Alopoglossus atriventris* Duellman, 1973
104. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
105. *Ptychoglossus brevifrontalis* Boulenger, 1912

Bachiinae Castoe, Doan & Parkinson, 2004 (15 / 15)

106. *Bachia bresslaui* (Amaral, 1935)
107. *Bachia cacerensis* Castrillon & Strüssmann, 1998
108. *Bachia didactyla* Freitas, Strüssmann, Carvalho, Kawashita-Ribeiro & Mott, 2011
109. *Bachia dorbignyi* (Duméril & Bibron, 1839)
110. *Bachia geralista* Teixeira, Recoder, Camacho, Sena, Navas & Rodrigues, 2013
111. *Bachia flavescens* (Bonnaterre, 1789)
112. *Bachia micromela* Rodrigues, Pavan & Curcio, 2007
113. *Bachia oxyrhina* Rodrigues, Camacho, Nunes, Recoder, Teixeira, Valdujo, Ghellere, Mott & Nogueira, 2008
114. *Bachia panoplia* Thomas, 1965
115. *Bachia peruana* (Werner, 1901)
116. *Bachia psamophila* Rodrigues, Pavan & Curcio, 2007
117. *Bachia pyburni* Kizirian & McDiarmid, 1998
118. *Bachia scaea* Teixeira, Dal Vechio, Nunes, Mollo Neto, Lobo, Storti, Gaiga, Dias & Rodrigues, 2013
119. *Bachia scolecoides* Vanzolini, 1961
120. *Bachia trisanale* (Cope, 1868)

Cercosaurinae Gray, 1838 (15 / 19)
Cercosaurini Gray, 1838 (15 / 19)

121. *Cercosaura argulus* Peters, 1863
122. *Cercosaura eigenmanni* (Griffin, 1917)
123. *Cercosaura o. ocellata* Wagler, 1830
124. *Cercosaura ocellata bassleri* Ruibal, 1952
125. *Cercosaura ocellata petersi* Ruibal, 1952
126. *Cercosaura oshaughnessyi* (Boulenger, 1885)
127. *Cercosaura parkeri* Ruibal, 1952
128. *Cercosaura quadrilineatus* (Boettger, 1876)
129. *Cercosaura s. schreibersii* Wiegmann, 1834
130. *Cercosaura schreibersii albostrigata* (Griffin, 1917)
131. *Neusticurus bicarinatus* (Linnaeus, 1758)
132. *Neusticurus ecpleopus* Cope, 1876
133. *Neusticurus juruazensis* Ávila-Pires & Vitt, 1998
134. *Neusticurus racenisi* Roze, 1958
135. *Neusticurus rudis* Boulenger, 1900
136. *Placosoma cipoense* Cunha, 1966
137. *Placosoma c. cordylinum* Tschudi, 1847
138. *Placosoma cordylinum champsonotus* (Werner, 1910)
139. *Placosoma glabellum* (Peters, 1870)

Ecpleopinae Fitzinger, 1843 (21 / 21)

140. *Amapasaurus tetradactylus* Cunha, 1970
141. *Anotosaura collaris* Amaral, 1933
142. *Anotosaura vanzolinia* Dixon, 1974
143. *Arthrosaura kockii* (Lidth de Jeude, 1904)
144. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
145. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
146. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991
147. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites, 2005
148. *Ecpleopus gaudichaudi* Duméril & Bibron, 1839
149. *Leposoma annectans* Ruibal, 1952
150. *Leposoma baturitensis* Rodrigues & Borges, 1997
151. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005
152. *Leposoma guianense* Ruibal, 1952
153. *Leposoma nanodactylus* Rodrigues, 1997
154. *Leposoma osvaldoi* Ávila-Pires, 1995
155. *Leposoma percarinatum* (Müller, 1923)
156. *Leposoma puk* Rodrigues, 2002
157. *Leposoma scincoides* Spix, 1825
158. *Leposoma sinepollex* Rodrigues, Teixeira, Recoder, Dal Vechio, Damasceno & Pellegrino, 2013
159. *Leposoma snethlageae* Ávila-Pires, 1995
160. *Marinussaurus curupira* Peloso, Pellegrino, Rodrigues & Ávila-Pires, 2011

Rhachisaurinae Pellegrino, Rodrigues, Yonenaga-Yassuda & Sites, 2001 (1 / 1)

161. *Rhachisaurus brachylepis* (Dixon, 1974)

HOPLOCERCIDAE FROST & ETHERIDGE, 1989 (3 / 3)

162. *Enyalioides laticeps* (Guichenot, 1855)
163. *Enyalioides palpebralis* (Boulenger, 1883)
164. *Hoplocercus spinosus* Fitzinger, 1843

IGUANIDAE GRAY, 1827 (1 / 1)

165. *Iguana i. iguana* (Linnaeus, 1758)

LEIOSAURIDAE FROST, ETHERIDGE, JANIES & TITUS, 2001 (13 / 14)
Leiosaurinae Frost, Etheridge, Janies & Titus, 2001 (1 / 1)

166. *Leiosaurus paronae* (Peracca, 1897)

Enyaliinae Frost, Etheridge, Janies & Titus, 2001 (12 / 13)

167. *Anisolepis grilli* Boulenger, 1891
168. *Anisolepis undulatus* (Wiegmann, 1834)
169. *Enyalius bibronii* Boulenger, 1885
170. *Enyalius bilineatus* Duméril & Bibron, 1837
171. *Enyalius b. brasiliensis* (Lesson, 1828)
172. *Enyalius brasiliensis boulengeri* (Etheridge, 1968)
173. *Enyalius catenatus* (Wied, 1821)
174. *Enyalius erythroceneus* Rodrigues, Freitas, Silva & Bertolotto, 2006
175. *Enyalius iheringii* Boulenger, 1885
176. *Enyalius leechii* (Boulenger, 1885)
177. *Enyalius perditus* Jackson, 1978
178. *Enyalius pictus* (Schinz, 1822)
179. *Urostrophus vautieri* Duméril & Bibron, 1837

LIOLAEMIDAE FROST & ETHERIDGE, 1989 (3 / 3)

180. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003
181. *Liolaemus lutzae* Mertens, 1938
182. *Liolaemus occipitalis* Boulenger, 1885

MABUYIDAE MITTLEMAN, 1952 (15 / 15)
Mabuyinae Mittleman, 1952 (14 / 14)

183. *Aspronema dorsivittatum* (Cope, 1862)
184. *Brasiliscincus agilis* (Raddi, 1823)
185. *Brasiliscincus caissara* (Rebouças-Spieker, 1974)
186. *Brasiliscincus heathi* (Schmidt & Inger, 1951)
187. *Copeoglossum arajara* (Rebouças-Spieker, 1981)
188. *Copeoglossum nigropunctatum* (Spix, 1825)
189. *Exila nigropalmata* (Andersson, 1918)
190. *Manciola guaporicola* (Dunn, 1935)
191. *Notomabuya frenata* (Cope, 1862)
192. *Panopa carvalhoi* (Rebouças-Spieker & Vanzolini, 1990)
193. *Psychosaura agmosticha* (Rodrigues, 2000)
194. *Psychosaura macrorhyncha* (Hoge, 1947)
195. *Varzea altamazonica* (Miralles, Barrio-Amorós, Rivas & Chaparro-Auza, 2006)
196. *Varzea bistriata* (Spix, 1825)

Trachylepidinae Hedges & Conn, 2012 (1 / 1)

197. *Trachylepis atlantica* (Schmidt, 1945)

PHYLLODACTYLIDAE GAMBLE, BAUER, GREENBAUM & JACKMAN, 2008 (13 / 13)

198. *Gymnodactylus amarali* Barbour, 1925
199. *Gymnodactylus darwinii* (Gray, 1845)
200. *Gymnodactylus geckoides* Spix, 1825
201. *Gymnodactylus guttulatus* Vanzolini, 1982
202. *Gymnodactylus vanzolinii* Cassimiro & Rodrigues, 2009
203. *Homonota fasciata* (Duméril & Bibron, 1836)
204. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
205. *Phyllopezus lutzae* (Loveridge, 1941)
206. *Phyllopezus periosus* Rodrigues, 1986
207. *Phyllopezus pollicaris* pollicaris (Spix, 1825)
208. *Phyllopezus przewalskii* Koslowsky, 1895
209. *Thecadactylus rapicauda* (Houttuyn, 1782)
210. *Thecadactylus solimoensis* Bergmann & Russell, 2007

POLYCHROTIDAE FITZINGER, 1843 (3 / 3)

211. *Polychrus acutirostris* Spix, 1825
212. *Polychrus liogaster* Boulenger, 1908
213. *Polychrus marmoratus* (Linnaeus, 1758)

SPHAERODACTYLIDAE UNDERWOOD, 1954 (16 / 16)

214. *Chatogekko amazonicus* (Andersson, 1918)
215. *Coleodactylus brachystoma* (Amaral, 1935)
216. *Coleodactylus elizae* Gonçalves, Torquato, Skuk & Sena, 2012
217. *Coleodactylus meridionalis* (Boulenger, 1888)
218. *Coleodactylus natalensis* Freire, 1999
219. *Coleodactylus septentrionalis* (Vanzolini, 1980)
220. *Gonatodes annularis* Boulenger, 1887
221. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
222. *Gonatodes hasemani* Griffin, 1917
223. *Gonatodes humeralis* (Guichenot, 1855)
224. *Gonatodes nascimentoi* Sturaro & Ávila-Pires, 2011
225. *Gonatodes tapajonicus* Rodrigues, 1980
226. *Lepidoblepharis heyerorum* Vanzolini, 1978
227. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
228. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
229. *Pseudogonatodes guianensis* Parker, 1935

TEIIDAE GRAY, 1827 (39 / 39)
Teiinae Presch, 1974 (30 / 30)

230. *Ameiva a. ameiva* (Linnaeus, 1758)
231. *Ameiva jacuba* Giugliano, Nogueira, Valdujo, Collevatti & Colli, 2013
232. *Ameiva parecis* (Colli, Costa, Garda, Kopp, Mesquita, Péres, Valdujo, Vieira & Wiederhecker, 2003)
233. *Ameivula abaetensis* (Dias, Rocha & Vrcibradic, 2002)
234. *Ameivula cipoensis* Arias, Carvalho, Zaher & Rodrigues, 2014
235. *Ameivula confusioniba* (Arias, Carvalho, Rodrigues & Zaher, 2011)
236. *Ameivula cyanura* (Arias, Carvalho, Rodrigues & Zaher, 2011)

237. *Ameivula jalapensis* (Colli, Giugliano, Mesquita & França, 2009)
238. *Ameivula littoralis* (Rocha, Araújo, Vrcibradic & Costa, 2000)
239. *Ameivula mumbuca* (Colli, Caldwell, Costa, Gainsbury, Garda, Mesquita, Filho, Soares, Silva, Valdujo, Vieira, Vitt, Werneck, Wiederhecker & Zatz, 2003)
240. *Ameivula nativo* (Rocha, Bergallo & Peccinini-Seale, 1997)
241. *Ameivula nigrigula* (Arias, Carvalho, Rodrigues & Zaher, 2011)
242. *Ameivula ocellifera* (Spix, 1825)
243. *Ameivula pyrrhogularis* (Silva & Ávila-Pires, 2013)
244. *Ameivula venetacauda* (Arias, Carvalho, Rodrigues & Zaher, 2011)
245. *Ameivula xacriaba* Arias, Teixeira, Recoder, Carvalho, Zaher & Rodrigues, 2014
246. *Cnemidophorus cryptus* Cole & Dessauer, 1993
247. *Cnemidphorus gramivagus* McCrystal & Dixon, 1987
248. *Cnemidophorus lemniscatus lemniscatus* (Linnaeus, 1758)
249. *Contomastix lacertoides* (Duméril & Bibron, 1839)
250. *Contomastix vacariensis* (Feltrim & Lema, 2000)
251. *Kentropyx altamazonica* (Cope, 1876)
252. *Kentropyx calcarata* Spix, 1825
253. *Kentropyx paulensis* Boettger, 1893
254. *Kentropyx pelviceps* Cope, 1868
255. *Kentropyx striata* (Daudin, 1802)
256. *Kentropyx vanzoi* Gallagher & Dixon, 1980
257. *Kentropyx viridistriga* Boulenger, 1894
258. *Teius oculatus* (D'Orbigny & Bibron, 1837)
259. *Teius teyou* (Daudin, 1802)

Tupinambinae Presch, 1974 (9 / 9)

260. *Crocodilurus amazonicus* Spix, 1825
261. *Dracaena guianensis* Daudin, 1801
262. *Dracaena paraguayensis* Amaral, 1950
263. *Salvator duseni* (Lönnberg in Lönnberg & Andersson, 1910)
264. *Salvator merianae* (Duméril & Bibron, 1839)
265. *Tupinambis longilineus* Ávila-Pires, 1995
266. *Tupinambis palustris* Manzani & Abe, 2002
267. *Tupinambis quadrilineatus* Manzani & Abe, 1997
268. *Tupinambis teguixin* (Linnaeus, 1758)

TROPIDURIDAE BELL IN DARWIN, 1843 (39 / 42)

269. *Eurolophosaurus amathites* (Rodrigues, 1984)
270. *Eurolophosaurus divaricatus* (Rodrigues, 1986)
271. *Eurolophosaurus nanuzae* (Rodrigues, 1981)
272. *Plica plica* (Linnaeus, 1758)
273. *Plica u. umbra* (Linnaeus, 1758)
274. *Plica umbra ochrocollaris* (Spix, 1825)
275. *Stenocercus azureus* (Müller, 1882)
276. *Stenocercus caducus* (Cope, 1862)
277. *Stenocercus dumerilii* (Steindachner, 1867)
278. *Stenocercus fimbriatus* Ávila-Pires, 1995
279. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
280. *Stenocercus roseiventris* D'Orbigny in Duméril & Bibron, 1837
281. *Stenocercus sinesaccus* Torres-Carvajal, 2005
282. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
283. *Stenocercus tricristatus* (Duméril, 1851)
284. *Strobilurus torquatus* Wiegmann, 1834
285. *Tropidurus callathelys* Harvey & Gutberlet, 1998
286. *Tropidurus catalanensis* Gudynas & Skuk,1983
287. *Tropidurus cocorobensis* Rodrigues, 1987
288. *Tropidurus chromatops* Harvey & Gutberlet, 1998
289. *Tropidurus erythrocephalus* Rodrigues, 1987
290. *Tropidurus etheridgei* Cei, 1982
291. *Tropidurus guarani* Alvarez, Cei & Scolaro, 1994
292. *Tropidurus helenae* (Manzani & Abe, 1990)
293. *Tropidurus hispidus* (Spix, 1825)
294. *Tropidurus hygomi* Reinhardt & Luetken, 1861
295. *Tropidurus imbituba* Kunz & Borges-Martins, 2013
296. *Tropidurus insulanus* Rodrigues, 1987
297. *Tropidurus itambere* Rodrigues, 1987
298. *Tropidurus jaguaribanus* Passos, Lima & Borges-Nojosa, 2011
299. *Tropidurus montanus* Rodrigues, 1987
300. *Tropidurus mucujensis* Rodrigues, 1987
301. *Tropidurus oreadicus* Rodrigues, 1987
302. *Tropidurus pinima* (Rodrigues, 1984)
303. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
304. *Tropidurus semitaeniatus* (Spix, 1825)
305. *Tropidurus torquatus* (Wied, 1820)
306. *Uracentron a. azureum* (Linnaeus, 1758)
307. *Uracentron azureum guentheri* Boulenger, 1894
308. *Uracentron azureum werneri* Mertens, 1925
309. *Uracentron flaviceps* (Guichenot, 1855)
310. *Uranoscodon superciliosus* (Linnaeus, 1758)

AMPHISBAENIA GRAY, 1844 (72 / 72)
AMPHISBAENIDAE GRAY, 1825 (72 / 72)

311. *Amphisbaena absaberi* (Strüssmann & Carvalho, 2001)
312. *Amphisbaena acrobeles* (Ribeiro, Castro-Mello & Nogueira, 2009)
313. *Amphisbaena alba* Linnaeus, 1758
314. *Amphisbaena amazonica* Vanzolini, 1951
315. *Amphisbaena anaemariae* Vanzolini, 1997
316. *Amphisbaena anomala* (Barbour, 1914)
317. *Amphisbaena arda* Rodrigues, 2003
318. *Amphisbaena arenaria* Vanzolini, 1991
319. *Amphisbaena bahiana* Vanzolini, 1964
320. *Amphisbaena bedai* (Vanzolini, 1991)
321. *Amphisbaena bilabialata* (Stimson, 1972)
322. *Amphisbaena brasiliana* (Gray, 1865)
323. *Amphisbaena brevis* Strüssmann & Mott, 2009
324. *Amphisbaena caiari* Teixeira, Dal Vechio, Mollo Neto & Rodrigues, 2014

325. *Amphisbaena camura* Cope, 1862
326. *Amphisbaena carli* Pinna, Mendonça, Bocchiglieri & Fernandes, 2010
327. *Amphisbaena carvalhoi* Gans, 1965
328. *Amphisbaena crisae* Vanzolini, 1997
329. *Amphisbaena cuiabana* (Strüssmann & Carvalho, 2001)
330. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
331. *Amphisbaena darwini* Duméril & Bibron, 1839
332. *Amphisbaena dubia* Müller, 1924
333. *Amphisbaena frontalis* Vanzolini, 1991
334. *Amphisbaena fuliginosa* Linnaeus, 1758
335. *Amphisbaena hastata* Vanzolini, 1991
336. *Amphisbaena heathi* Schmidt, 1936
337. *Amphisbaena hogei* Vanzolini, 1950
338. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
339. *Amphisbaena ignatiana* Vanzolini, 1991
340. *Amphisbaena kingii* (Bell, 1833)
341. *Amphisbaena kraoh* (Vanzolini, 1971)
342. *Amphisbaena leeseri* Gans, 1964
343. *Amphisbaena leucocephala* Peters, 1878
344. *Amphisbaena littoralis* Roberto, Brito & Ávila, 2014
345. *Amphisbaena lumbricalis* Vanzolini, 1996
346. *Amphisbaena maranhensis* Gomes & Maciel, 2012
347. *Amphisbaena mensae* Castro-Mello, 2000
348. *Amphisbaena mertensii* Strauch, 1881
349. *Amphisbaena miringoera* Vanzolini, 1971
350. *Amphisbaena mitchelli* Procter, 1923
351. *Amphisbaena munoai* Klappenbach, 1966
352. *Amphisbaena neglecta* Dunn & Piatt, 1936
353. *Amphisbaena nigricauda* Gans, 1966
354. *Amphisbaena persephone* Pinna, Mendonça, Bocchiglieri & Fernandes, 2014
355. *Amphisbaena pretrei* Duméril & Bibron, 1839
356. *Amphisbaena prunicolor* (Cope, 1885)
357. *Amphisbaena ridleyi* Boulenger, 1890
358. *Amphisbaena roberti* Gans, 1964
359. *Amphisbaena sanctaeritae* Vanzolini, 1994
360. *Amphisbaena saxosa* (Castro-Mello, 2003)
361. *Amphisbaena silvestrii* Boulenger, 1902
362. *Amphisbaena slevini* Schmidt, 1938
363. *Amphisbaena steindachneri* Strauch, 1881
364. *Amphisbaena supernumeraria* Mott, Rodrigues & Santos, 2009
365. *Amphisbaena talisiae* Vanzolini, 1995
366. *Amphisbaena trachura* Cope, 1885
367. *Amphisbaena tragorrhectes* Vanzolini, 1971
368. *Amphisbaena uroxena* Mott, Rodrigues, Freitas & Silva, 2008
369. *Amphisbaena vanzolinii* Gans, 1963
370. *Amphisbaena varia* Laurenti, 1768
371. *Amphisbaena vermicularis* Wagler in Spix, 1824
372. *Amphisbaena wiedi* Vanzolini, 1951
373. *Leposternon cerradensis* Ribeiro, Vaz-Silva & Santos-Jr, 2008
374. *Leposternon infraorbitale* (Bertold, 1859)
375. *Leposternon kisteumacheri* Porto, Soares & Caramaschi, 2000
376. *Leposternon maximus* Ribeiro, Nogueira, Cintra, Silva Jr. & Zaher, 2012
377. *Leposternon microcephalum* Wagler in Spix, 1824
378. *Leposternon octostegum* (Duméril, 1851)
379. *Leposternon polystegum* (Duméril, 1851)
380. *Leposternon scutigerum* (Hemprich, 1820)
381. *Leposternon wuchereri* (Peters, 1879)
382. *Mesobaena rhachicephala* Hoogmoed, Pinto, Rocha & Pereira, 2009

SERPENTES LINNAEUS, 1758 (386 / 426)
ANILIIDAE STEJNEGER, 1907 (1 / 1)

383. *Anilius scytale* (Linnaeus, 1758)

ANOMALEPIDIDAE TAYLOR, 1939 (7 / 7)

384. *Liotyphlops beui* (Amaral, 1924)
385. *Liotyphlops caissara* Centeno, Sawaya & Germano, 2010
386. *Liotyphlops schubarti* Vanzolini, 1948
387. *Liotyphlops ternetzii* (Boulenger, 1896)
388. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
389. *Liotyphlops wilderi* (Garman, 1883)
390. *Typhlophis squamosus* (Schlegel, 1839)

BOIDAE GRAY, 1825 (12 / 13)
Boinae Gray, 1825 (12 13)

391. *Boa c. constrictor* Linnaeus, 1758
392. *Boa constrictor amarali* (Stull, 1932)
393. *Corallus batesii* (Gray, 1860)
394. *Corallus caninus* (Linnaeus, 1758)
395. *Corallus cropanii* (Hoge, 1953)
396. *Corallus hortulanus* (Linnaeus, 1758)
397. *Epicrates assisi* Machado, 1945
398. *Epicrates cenchria* (Linnaeus, 1758)
399. *Epicrates crassus* Cope, 1862
400. *Epicrates maurus* Gray, 1849
401. *Eunectes deschauenseei* Dunn & Conant, 1936
402. *Eunectes murinus* (Linnaeus, 1758)
403. *Eunectes notaeus* Cope, 1862

COLUBRIDAE OPPEL, 1811 (33 / 38)

404. *Chironius bicarinatus* (Wied, 1820)
405. *Chironius carinatus* (Linnaeus, 1758)
406. *Chironius diamantina* Fernandes & Hamdan, 2014
407. *Chironius exoletus* (Linnaeus, 1758)
408. *Chironius flavolineatus* (Jan, 1863)
409. *Chironius foveatus* Bailey, 1955
410. *Chironius fuscus* (Linnaeus, 1758)
411. *Chironius laevicollis* (Wied, 1824)
412. *Chironius laurenti* Dixon, Wiest & Cei, 1993

413. *Chironius multiventris* Schmidt & Walker, 1943
414. *Chironius quadricarinatus* (Boie, 1827)
415. *Chironius scurrulus* (Wagler in Spix, 1824)
416. *Dendrophidion atlantica* Freire, Caramaschi & Gonçalves, 2010
417. *Dendrophidion dendrophis* (Schlegel, 1837)
418. *Drymarchon c. corais* (Boie, 1827)
419. *Drymobius rhombifer* (Günther, 1860)
420. *Drymoluber brazili* (Gomes, 1918)
421. *Drymoluber dichrous* (Peters, 1863)
422. *Leptophis a. ahaetulla* (Linnaeus, 1758)
423. *Leptophis ahaetulla liocercus* (Wied, 1824)
424. *Leptophis ahaetulla marginatus* (Cope, 1862)
425. *Leptophis ahaetulla nigromarginatus* (Günther, 1866)
426. *Mastigodryas bifossatus* (Raddi, 1820)
427. *Mastigodryas b. boddaerti* (Sentzen, 1796)
428. *Mastigodryas moratoi* Montingelli & Zaher, 2011
429. *Mastigodryas pleei* (Duméril, Bibron & Duméril, 1854)
430. *Oxybelis aeneus* (Wagler in Spix, 1824)
431. *Oxybelis fulgidus* (Daudin, 1803)
432. *Phrynonax poecilonotus polylepis* (Peters, 1867)
433. *Rhinobothryum lentiginosum* (Scopoli, 1785)
434. *Simophis rhinostoma* (Schlegel, 1837)
435. *Spilotes p. pullatus* (Linnaeus, 1758)
436. *Spilotes pullatus anomalepis* Bocourt, 1888
437. *Spilotes s. sulphureus* (Wagler in Spix, 1824)
438. *Spilotes sulphureus poecilostoma* (Wied, 1824)
439. *Tantilla boipiranga* Sawaya & Sazima, 2003
440. *Tantilla marcovani* Lema, 2004
441. *Tantilla melanocephala* (Linnaeus, 1758)

DIPSADIDAE BONAPARTE, 1838 (246 / 267)
Dipsadinae Bonaparte, 1838 (54 / 57)
Dipsadini Bonaparte, 1838 (51 / 53)

442. *Atractus albuquerquei* Cunha & Nascimento, 1983
443. *Atractus alphonsehogei* Cunha & Nascimento, 1983
444. *Atractus altagratiae* Passos & Fernandes, 2008
445. *Atractus badius* (Boie, 1827)
446. *Atractus caete* Passos, Fernandes, Bérnils & Moura-Leite, 2010
447. *Atractus caxiuana* Prudente & Santos-Costa, 2006
448. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
449. *Atractus elaps* (Günther, 1858)
450. *Atractus flammigerus* (Boie, 1827)
451. *Atractus francoi* Passos, Fernandes, Bérnils & Moura-Leite, 2010
452. *Atractus guentheri* (Wucherer, 1861)
453. *Atractus hoogmoedi* Prudente & Passos, 2010
454. *Atractus insipidus* Roze, 1961
455. *Atractus latifrons* (Günther, 1868)
456. *Atractus maculatus* (Günther, 1858)
457. *Atractus major* Boulenger, 1894
458. *Atractus natans* Hoogmoed & Prudente, 2003
459. *Atractus pantostictus* Fernandes & Puorto, 1994
460. *Atractus paraguayensis* Werner, 1924
461. *Atractus poeppigi* (Jan, 1862)
462. *Atractus potschi* Fernandes, 1995
463. *Atractus reticulatus* (Boulenger, 1885)
464. *Atractus ronnie* Passos, Fernandes & Borges-Nojosa, 2007
465. *Atractus schach* (Boie, 1827)
466. *Atractus serranus* Amaral, 1930
467. *Atractus snethlageae* Cunha & Nascimento, 1983
468. *Atractus spinalis* Passos, Teixeira, Sena, Dal Vechio, Pinto, Mendonça, Cassimiro & Rodrigues, 2013
469. *Atractus surucucu* Prudente & Passos, 2008
470. *Atractus taeniatus* Griffin, 1916
471. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
472. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
473. *Atractus trihedrurus* Amaral, 1926
474. *Atractus trilineatus* Wagler, 1828
475. *Atractus zebrinus* (Jan, 1862)
476. *Atractus zidoki* Gasc & Rodrigues, 1979
477. *Dipsas albifrons* (Sauvage, 1884)
478. *Dipsas alternans* (Fischer, 1885)
479. *Dipsas b. bucephala* (Shaw, 1802)
480. *Dipsas catesbyi* (Sentzen, 1796)
481. *Dipsas incerta* (Jan, 1863)
482. *Dipsas i. indica* Laurenti, 1768
483. *Dipsas indica petersi* Hoge, 1975
484. *Dipsas pavonina* Schlegel, 1837
485. *Dipsas sazimai* Fernandes, Marques & Argôlo, 2010
486. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
487. *Ninia hudsoni* Parker, 1940
488. *Sibon nebulatus* (Linnaeus, 1758)
489. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
490. *Sibynomorphus m. mikanii* (Schlegel, 1837)
491. *Sibynomorphus mikanii septentrionalis* Cunha, Nascimento & Hoge, 1980
492. *Sibynomorphus neuwiedi* (Ihering, 1911)
493. *Sibynomorphus turgidus* (Cope, 1868)
494. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)

Imantodini Myers, 2011 (3 / 4)

495. *Imantodes cenchoa* (Linnaeus, 1758)
496. *Imantodes lentiferus* (Cope, 1894)
497. *Leptodeira a. annulata* (Linnaeus, 1758)
498. *Leptodeira annulata pulchriceps* Duellman, 1958

Xenodontinae Bonaparte, 1845 (189 / 207)
Amnesteophiini Myers, 2011 (1 / 1)

499. *Amnesteophis melanauchen* (Jan, 1863)

Caaeteboiini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009 (1 / 1)

500. *Caaeteboia amarali* (Wettstein, 1930)

Echinantherini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009 (15 / 15)

501. *Echinanthera amoena* (Jan, 1863)
502. *Echinanthera cephalomaculata* Di-Bernardo, 1994
503. *Echinanthera cephalostriata* Di-Bernardo, 1996
504. *Echinanthera cyanopleura* (Cope, 1885)
505. *Echinanthera melanostigma* (Wagler in Spix, 1824)
506. *Echinanthera undulata* (Wied, 1824)
507. *Taeniophallus affinis* (Günther, 1858)
508. *Taeniophallus bilineatus* (Fischer, 1885)
509. *Taeniophallus brevirostris* (Peters, 1863)
510. *Taeniophallus nicagus* (Cope, 1895)
511. *Taeniophallus occipitalis* (Jan, 1863)
512. *Taeniophallus persimilis* (Cope, 1869)
513. *Taeniophallus poecilopogon* (Cope, 1863)
514. *Taeniophallus quadriocellatus* Santos-Jr, Di-Bernardo & Lema, 2008
515. *Sordellina punctata* (Peters, 1880)

Elapomorphini Jan, 1862 (40 / 40)

516. *Apostolepis albicollaris* Lema, 2002
517. *Apostolepis ambiniger* (Peters, 1869)
518. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
519. *Apostolepis arenaria* Rodrigues, 1992
520. *Apostolepis assimilis* (Reinhardt, 1861)
521. *Apostolepis cearensis* Gomes, 1915
522. *Apostolepis cerradoensis* Lema, 2003
523. *Apostolepis christineae* Lema, 2002
524. *Apostolepis dimidiata* (Jan, 1862)
525. *Apostolepis dorbignyi* (Schlegel, 1837)
526. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
527. *Apostolepis gaboi* Rodrigues, 1992
528. *Apostolepis goiasensis* Prado, 1942
529. *Apostolepis intermedia* Koslowsky, 1898
530. *Apostolepis lineata* Cope, 1887
531. *Apostolepis longicaudata* Gomes in Amaral, 1921
532. *Apostolepis nelsonjorgei* Lema & Renner, 2004
533. *Apostolepis nigrolineata* (Peters, 1869)
534. *Apostolepis nigroterminata* Boulenger, 1896
535. *Apostolepis parassimilis* Lema & Renner, 2012
536. *Apostolepis polylepis* Amaral, 1922
537. *Apostolepis quinquelineata* Boulenger, 1896
538. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
539. *Apostolepis serrana* Lema & Renner, 2006
540. *Apostolepis striata* Lema, 2004
541. *Apostolepis tertulianobeui* Lema, 2004
542. *Apostolepis vittata* (Cope, 1887)
543. *Coronelaps lepidus* (Reinhardt, 1861)
544. *Elapomorphus quinquelineatus* (Raddi, 1820)
545. *Elapomorphus wuchereri* Günther, 1861
546. *Phalotris concolor* Ferrarezzi, 1994
547. *Phalotris labiomaculatus* Lema, 2002
548. *Phalotris lativittatus* Ferrarezzi, 1994
549. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
550. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
551. *Phalotris mertensi* (Hoge, 1955)
552. *Phalotris multipunctatus* Puorto & Ferrarezzi, 1994
553. *Phalotris nasutus* (Gomes, 1915)
554. *Phalotris reticulatus* (Peters, 1860)
555. *Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)

Hydrodynastini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009 (3 / 3)

556. *Hydrodynastes bicinctus* (Herrmann, 1804)
557. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
558. *Hydrodynastes melanogigas* Franco, Fernandes & Bentin, 2007

Hydropsini Dowling, 1975 (15 / 16)

559. *Helicops angulatus* (Linnaeus, 1758)
560. *Helicops apiaka* Kawashita-Ribeiro, Ávila & Morais, 2013
561. *Helicops carinicaudus* (Wied, 1825)
562. *Helicops gomesi* Amaral, 1922
563. *Helicops hagmanni* Roux, 1910
564. *Helicops infrataeniatus* (Jan, 1865)
565. *Helicops leopardinus* (Schlegel, 1837)
566. *Helicops modestus* Günther, 1861
567. *Helicops polylepis* Günther, 1861
568. *Helicops tapajonicus* Frota, 2005
569. *Helicops trivittatus* (Gray, 1849)
570. *Hydrops caesurus* Scrocchi, Ferreira, Giraudo, Ávila & Motte, 2005
571. *Hydrops martii* (Wagler in Spix, 1824)
572. *Hydrops triangularis* (Wagler in Spix, 1824)
573. *Pseudoeryx plicatilis plicatilis* (Linnaeus, 1758)
574. *Pseudoeryx plicatilis mimeticus* Cope, 1885

Philodryadini Cope, 1886 (14 / 14)

575. *Ditaxodon taeniatus* (Peters in Hensel, 1868)
576. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
577. *Philodryas agassizii* (Jan, 1863)
578. *Philodryas argentea* (Daudin, 1803)
579. *Philodryas arnaldoi* (Amaral, 1933)
580. *Philodryas georgeboulengeri* Grazziotin, Zaher, Murphy, Scrocchi, Benavides, Zhang & Bonatto, 2012
581. *Philodryas laticeps* Werner, 1900
582. *Philodryas livida* (Amaral, 1923)
583. *Philodryas mattogrossensis* Koslowsky, 1898
584. *Philodryas nattereri* Steindachner, 1870
585. *Philodryas olfersii* (Liechtenstein, 1823)
586. *Philodryas patagoniensis* (Girard, 1858)
587. *Philodryas psammophidea* Günther, 1872
588. *Philodryas viridissima* (Linnaeus, 1758)

Pseudoboini Bailey, 1967 (37 / 40)

589. *Boiruna maculata* (Boulenger, 1896)
590. *Boiruna sertaneja* Zaher, 1996
591. *Clelia clelia* (Daudin, 1803)
592. *Clelia hussami* Morato, Franco & Sanches, 2003
593. *Clelia plumbea* (Wied, 1820)
594. *Drepanoides anomalus* (Jan, 1863)
595. *Mussurana bicolor* (Peracca, 1904)
596. *Mussurana montana* (Franco, Marques & Puorto, 1997)
597. *Mussurana quimi* (Franco, Marques & Puorto, 1997)
598. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
599. *Oxyrhopus formosus* (Wied, 1820)
600. *Oxyrhopus guibei* Hoge & Romano, 1978
601. *Oxyrhopus m. melanogenys* (Tschudi, 1845)
602. *Oxyrhopus melanogenys orientalis* Cunha & Nascimento, 1983
603. *Oxyrhopus occipitalis* Wagler in Spix, 1824
604. *Oxyrhopus petolarius digitalis* (Reuss, 1834)
605. *Oxyrhopus rhombifer inaequifasciatus* Werner, 1909
606. *Oxyrhopus r. rhombifer* Duméril, Bibron & Duméril, 1854
607. *Oxyrhopus rhombifer septentrionalis* Vellard, 1943
608. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
609. *Oxyrhopus vanidicus* Lynch, 2009
610. *Paraphimophis rustica* (Cope, 1878)
611. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
612. *Phimophis guianensis* (Troschel, 1848)
613. *Pseudoboa coronata* Schneider, 1801
614. *Pseudoboa haasi* (Boettger, 1905)
615. *Pseudoboa martinsi* Zaher, Oliveira & Franco, 2008
616. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
617. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)
618. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
619. *Rhachidelus brazili* Boulenger, 1908
620. *Rodriguesophis chui* (Rodrigues, 1993)
621. *Rodriguesophis iglesiasi* (Gomes, 1915)
622. *Rodriguesophis scriptorcibatus* (Rodrigues, 1993)
623. *Siphlophis cervinus* (Laurenti, 1768)
624. *Siphlophis compressus* (Daudin, 1803)
625. *Siphlophis leucocephalus* (Günther, 1863)
626. *Siphlophis longicaudatus* (Andersson, 1901)
627. *Siphlophis pulcher* (Raddi, 1820)
628. *Siphlophis worontzowi* (Prado, 1940)

Psomophini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009 (3 / 3)

629. *Psomophis genimaculatus* (Boettger, 1885)
630. *Psomophis joberti* (Sauvage, 1884)
631. *Psomophis obtusus* (Cope, 1864)

Tachymenini Bailey, 1967 (17 / 17)

632. *Calamodontophis paucidens* (Amaral, 1935)
633. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
634. *Gomesophis brasiliensis* (Gomes, 1918)
635. *Ptychophis flavovirgatus* Gomes, 1915
636. *Thamnodynastes almae* Franco & Ferreira, 2003
637. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993
638. *Thamnodynastes hypoconia* (Cope, 1860)
639. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
640. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
641. *Thamnodynastes nattereri* (Mikan, 1828)
642. *Thamnodynastes pallidus* (Linnaeus, 1758)
643. *Thamnodynastes ramonriveroi* Manzanilla & Sánchez, 2005
644. *Thamnodynastes rutilus* (Prado, 1942)
645. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
646. *Thamnodynastes strigatus* (Günther, 1858)
647. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
648. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854

Tropidodryadini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009 (2 / 2)

649. *Tropidodryas serra* (Schlegel, 1837)
650. *Tropidodryas striaticeps* (Cope, 1869)

Xenodontini Bonaparte, 1845 (38 / 52)

651. *Erythrolamprus a. aesculapii* (Linnaeus, 1766)
652. *Erythrolamprus aesculapii monozona* Jan, 1863
653. *Erythrolamprus aesculapii venustissimus* (Wied, 1821)
654. *Erythrolamprus almadensis* (Wagler in Spix, 1824)
655. *Erythrolamprus atraventer* (Dixon & Thomas, 1985)
656. *Erythrolamprus breviceps* (Cope, 1860)
657. *Erythrolamprus carajasensis* (Cunha, Nascimento & Ávila-Pires, 1985)
658. *Erythrolamprus cobella* (Linnaeus, 1758)
659. *Erythrolamprus dorsocorallinus* (Esqueda, Natera, La Marca & Ilija-Fistar, 2007)
660. *Erythrolamprus frenatus* (Werner, 1909)
661. *Erythrolamprus j. jaegeri* (Günther, 1858)
662. *Erythrolamprus jaegeri coralliventris* (Boulenger, 1894)
663. *Erythrolamprus maryellenae* (Dixon, 1985)
664. *Erythrolamprus m. miliaris* (Linnaeus, 1758)
665. *Erythrolamprus miliaris amazonicus* (Dunn, 1922)
666. *Erythrolamprus miliaris chrysostomus* (Griffin, 1916)
667. *Erythrolamprus miliaris merremi* (Wied, 1821)
668. *Erythrolamprus miliaris orinus* (Cope, 1868)
669. *Erythrolamprus m. mimus* (Cope, 1868)
670. *Erythrolamprus mossoroensis* (Hoge & Lima-Verde, 1973)
671. *Erythrolamprus oligolepis* (Boulenger, 1905)
672. *Erythrolamprus p. poecilogyrus* (Wied, 1825)
673. *Erythrolamprus poecilogyrus caesius* (Cope, 1862)
674. *Erythrolamprus poecilogyrus schotti* (Schlegel, 1837)
675. *Erythrolamprus poecilogyrus sublineatus* (Cope, 1860)

676. *Erythrolamprus pygmaeus* (Cope, 1868)
677. *Erythrolamprus reginae macrosomus* (Amaral, 1935)
678. *Erythrolamprus reginae semilineatus* (Wagler in Spix, 1824)
679. *Erythrolamprus semiaureus* (Cope, 1862)
680. *Erythrolamprus taeniogaster* (Jan, 1863)
681. *Erythrolamprus t. typhlus* (Linnaeus, 1758)
682. *Erythrolamprus typhlus brachyurus* (Cope, 1887)
683. *Erythrolamprus typhlus elaeoides* (Griffin, 1916)
684. *Erythrolamprus v. viridis* (Günther, 1862)
685. *Erythrolamprus viridis praesinus* (Jan & Sordelli, 1866)
686. *Lygophis anomalus* (Günther, 1858)
687. *Lygophis dilepis* (Cope, 1862)
688. *Lygophis flavifrenatus* (Cope, 1862)
689. *Lygophis lineatus* (Linnaeus, 1758)
690. *Lygophis meridionalis* (Schenkel, 1901)
691. *Lygophis paucidens* (Hoge, 1953)
692. *Pliocercus e. euryzonus* Cope, 1862
693. *Xenodon dorbignyi* (Duméril, Bibron & Duméril, 1854)
694. *Xenodon guentheri* Boulenger, 1894
695. *Xenodon histricus* (Jan, 1863)
696. *Xenodon matogrossensis* (Scrocchi & Cruz, 1993)
697. *Xenodon merremii* (Wagler in Spix, 1824)
698. *Xenodon nattereri* (Steindachner, 1867)
699. *Xenodon neuwiedii* Günther, 1863
700. *Xenodon r. rabdocephalus* (Wied, 1824)
701. *Xenodon severus* (Linnaeus, 1758)
702. *Xenodon werneri* Eiselt, 1963

Xenodontinae Incertae sedis (3 / 3)

703. *Xenopholis scalaris* (Wucherer, 1861)
704. *Xenopholis undulatus* (Jensen, 1900)
705. *Xenopholis werdingorum* Jansen, Álvarez & Köhler, 2009

Dipsadidae *Incertae sedis* (3 / 3)

706. *Cercophis auratus* (Schlegel, 1837)
707. *Lioheterophis iheringi* Amaral, 1935
708. *Uromacerina ricardinii* (Peracca, 1897)

ELAPIDAE BOIE, 1827 (32 / 39)
Elapinae Boie, 1827 (32 / 39)

709. *Leptomicrurus c. collaris* (Schlegel, 1837)
710. *Leptomicrurus narduccii melanotus* Roze & Bernal-Carlo, 1988
711. *Leptomicrurus scutiventris* (Cope, 1870)
712. *Micrurus albicinctus* Amaral, 1926
713. *Micrurus altirostris* (Cope, 1859)
714. *Micrurus a. annellatus* (Peters, 1871)
715. *Micrurus averyi* Schmidt, 1939
716. *Micrurus brasiliensis* Roze, 1967
717. *Micrurus corallinus* (Merrem, 1820)
718. *Micrurus decoratus* (Jan, 1858)
719. *Micrurus diana* Roze, 1983
720. *Micrurus filiformis* (Günther, 1859)
721. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
722. *Micrurus h. hemprichii* (Jan, 1858)
723. *Micrurus hemprichii ortoni* Schmidt, 1953
724. *Micrurus hemprichii rondonianus* Roze & Silva Jr, 1990
725. *Micrurus ibiboboca* (Merrem, 1820)
726. *Micrurus isozonus* (Cope, 1860)
727. *Micrurus langsdorffi* Wagler in Spix, 1824
728. *Micrurus lemniscatus lemniscatus* (Linnaeus, 1758)
729. *Micrurus lemniscatus carvalhoi* Roze, 1967
730. *Micrurus lemniscatus diutius* Burger, 1955
731. *Micrurus lemniscatus helleri* Roze, 1967
732. *Micrurus mipartitus* (Duméril, Bibron & Duméril, 1854)
733. *Micrurus nattereri* Schmidt, 1952
734. *Micrurus ornatissimus* (Jan, 1858)
735. *Micrurus pacaraimae* Carvalho, 2002
736. *Micrurus paraensis* Cunha & Nascimento, 1973
737. *Micrurus potyguara* Pires, Silva, Feitosa, Prudente, Pereira Filho & Zaher, 2014
738. *Micrurus psyches* (Daudin, 1803)
739. *Micrurus putumayensis* Lancini, 1962
740. *Micrurus pyrrhocryptus* (Cope, 1862)
741. *Micrurus remotus* Roze, 1987
742. *Micrurus silviae* Di-Bernardo, Borges-Martins & Silva, 2007
743. *Micrurus s. spixii* Wagler in Spix, 1824
744. *Micrurus spixii martiusi* Schmidt, 1953
745. *Micrurus spixii obscurus* Harvey, Aparicio & González, 2003
746. *Micrurus surinamensis* (Cuvier, 1817)
747. *Micrurus tricolor* Hoge, 1956

LEPTOTYPHLOPIDAE STEJNEGER, 1892 (16 / 16)
Epictinae Adalsteinsson, Branch, Trape, Vitt & Hedges, 2009 (16 / 16)
Epictini Adalsteinsson, Branch, Trape, Vitt & Hedges, 2009 (16 / 16)

748. *Epictia borapeliotes* (Vanzolini, 1996)
749. *Epictia clinorostris* Arredondo & Zaher, 2010
750. *Epictia munoai* (Orejas-Miranda, 1961)
751. *Epictia striatula* (Smith & Laufe, 1945)
752. *Epictia tenella* (Klauber, 1939)
753. *Epictia vellardi* (Laurent, 1984)
754. *Siagonodon acutirostris* Pinto & Curcio, 2011
755. *Siagonodon cupinensis* (Bailey & Carvalho, 1946)
756. *Siagonodon septemstriatus* (Schneider, 1801)
757. *Trilepida brasiliensis* (Laurent, 1949)
758. *Trilepida dimidiata* (Jan, 1861)
759. *Trilepida fuliginosa* (Passos, Caramaschi & Pinto, 2006)
760. *Trilepida jani* (Pinto & Fernandes, 2012)
761. *Trilepida koppesi* (Amaral, 1955)
762. *Trilepida macrolepis* (Peters, 1857)
763. *Trilepida salgueiroi* (Amaral, 1955)

TROPIDOPHIIDAE BRONGERSMA, 1951 (3 / 3)

764. *Tropidophis grapiuna* Curcio, Nunes, Argôlo, Skuk & Rodrigues, 2012
765. *Tropidophis paucisquamis* (Müller in Schenkel, 1901)
766. *Tropidophis preciosus* Curcio, Nunes, Argôlo, Skuk & Rodrigues, 2012

TYPHLOPIDAE MERREM, 1820 (6 / 6)
Typhlopinae Merrem, 1820 (6 / 6)

767. *Amerotyphlops amoipira* (Rodrigues & Juncá, 2002)
768. *Amerotyphlops brongersmianus* (Vanzolini, 1976)
769. *Amerotyphlops minuisquamus* (Dixon & Hendricks, 1979)
770. *Amerotyphlops paucisquamus* (Dixon & Hendricks, 1979)
771. *Amerotyphlops reticulatus* (Linnaeus, 1758)
772. *Amerotyphlops yonenagae* (Rodrigues, 1991)

VIPERIDAE OPPEL, 1811 (30 / 36)
Crotalinae Oppel, 1811 (30 / 36)

773. *Bothrocophias hyoprora* (Amaral, 1935)
774. *Bothrocophias microphthalmus* (Cope, 1876)
775. *Bothrops alcatraz* Marques, Martins & Sazima, 2002
776. *Bothrops alternatus* Duméril, Bibron & Duméril, 1854
777. *Bothrops atrox* (Linnaeus, 1758)
778. *Bothrops bilineatus bilineatus* (Wied, 1821)
779. *Bothrops bilineatus smaragdinus* Hoge, 1966
780. *Bothrops brazili* Hoge, 1954
781. *Bothrops cotiara* (Gomes, 1913)
782. *Bothrops diporus* Cope, 1862
783. *Bothrops erythromelas* Amaral, 1923
784. *Bothrops fonsecai* Hoge & Belluomini, 1959
785. *Bothrops insularis* (Amaral, 1922)
786. *Bothrops itapetiningae* (Boulenger, 1907)
787. *Bothrops jararaca* (Wied, 1824)
788. *Bothrops jararacussu* Lacerda, 1884
789. *Bothrops leucurus* Wagler in Spix, 1824
790. *Bothrops lutzi* (Miranda-Ribeiro, 1915)
791. *Bothrops marajoensis* Hoge, 1966
792. *Bothrops marmoratus* Silva & Rodrigues, 2008
793. *Bothrops mattogrossensis* Amaral, 1925
794. *Bothrops moojeni* Hoge, 1966
795. *Bothrops muriciensis* Ferrarezzi & Freire, 2001
796. *Bothrops neuwiedi* Wagler in Spix, 1824
797. *Bothrops otavioi* Barbo, Grazziotin, Sazima, Martins & Sawaya, 2012
798. *Bothrops pauloensis* Amaral, 1925
799. *Bothrops pirajai* Amaral, 1923
800. *Bothrops pubescens* (Cope, 1870)
801. *Bothrops taeniatus* Wagler in Spix, 1824
802. *Crotalus durissus cascavella* Wagler in Spix, 1824
803. *Crotalus durissus collilineatus* Amaral, 1926
804. *Crotalus durissus dryinas* Linnaeus, 1758
805. *Crotalus durissus marajoensis* Hoge, 1966
806. *Crotalus durissus ruruima* Hoge, 1966
807. *Crotalus durissus terrificus* (Laurenti, 1768)
808. *Lachesis muta* (Linnaeus, 1766)

REFERÊNCIAS

Bérnils, R. S. e H. C. Costa (org.). 2012. Brazilian reptiles: List of species. Version 2012.2. Sociedade Brasileira de Herpetologia. Acessado em 13 de julho de 2014. www.sbherpetologia.org.br.

Carrasco, P. A., C. I. Mattoni, G. C. Leynaud e G. J. Scrocchi. 2012. Morphology, phylogeny and taxonomy of South American bothropoid pitvipers (Serpentes, Viperidae). *Zoologia Scripta* 41:109-124.

Grazziotin, F. G., H. Zaher, R. W. Murphyc, G. Scrocchi, M. A. Benavides, Y.-P. Zhangd e S. L. Bonatto. 2012. Molecular phylogeny of the New World Dipsadidae (Serpentes: Colubroidea): a reappraisal. *Cladistics* 1(2012):1-23.

Harvey, M. B. G. N. Ugueto e R. L. Gutberlet. 2012. Review of Teiid Morphology with a Revised Taxonomy and Phylogeny of the Teiidae (Lepidosauria: Squamata). *Zootaxa* 3459:1-156.

Hedges, S. B. 2014. The high-level classification of skinks (Reptilia, Squamata, Scincomorpha). *Zootaxa* 3765(4):317-338.

Hedges, S. B. e C. E. Conn. 2012. A new skink fauna from Caribbean islands (Squamata, Mabuyidae, Mabuyinae). *Zootaxa* 3288:1-244.

Hedges, S. B., A. B. Marion, K. M. Lipp, J. Marin e N. Vidal. 2014. A taxonomic framework for typhlopid snakes from the Caribbean and other regions (Reptilia, Squamata). *Caribbean Herpetology* 49:1-61.

Jadin, R. C., F. T. Burbink, G. A. Rivas, L. J. Vitt, C.L. Barrio-Amorós e R. P. Guralnick. 2014. Finding arboreal snakes in an evolutionary tree: phylogenetic placement and systematic revision of the Neotropical birdsnakes. *Journal of Zoological Systematics and Evolutionary Research* 52(3):257-264.

Nicholson, E., B. I. Crother, C. Guyer e J.M. Savage. 2012. It is time for a new classification of anoles (Squamata: Dactyloidae). *Zootaxa* 3477:1-108.

Nicholson, E., B. I. Crother, C. Guyer e J.M. Savage. 2014. Anole classification: A response to Poe. *Zootaxa* 3814(1):109-120.

Pyron, R. A. e V. Wallach. 2014. Systematics of the blindsnakes (Serpentes: Scolecophidia: Typhlopoidea) based on molecular and morphological evidence. *Zootaxa* 3829(1):001-081.

Pyron, R. A., F. T. Burbrink e J. J. Wiens. 2013. A phylogeny and updated classification of Squamata, including 4161 species of lizards and snakes. *BMC Evolutionary Biology* 13:93.

Ribeiro, S., C. Nogueira, C. E. D. Cintra, N. J. Silva e H. Zaher. 2012 [2011]. Description of a new pored *Leposternon* (Squamata, Amphisbaenidae) from the Brazilian Cerrado. *South American Journal of Herpetology* 6(3):177-188.

Turtle Taxonomy Working Group [van Dijk, P. P., J. B. Iverson, A. G. J. Rhodin, H. B. Shaffer e R. Bour]. 2014. Turtles of the World, 7th edition: annotated checklist of taxonomy, synonymy, distribution with maps, and conservation status; pp. 329-479. *In:* A. G. J. Rhodin, P. C. H. Pritchard, P. P. van Dijk, R. A. Saumure, K. A. Buhlmann, J. B. Iverson e R. A. Mittermeier (Eds.), *Conservation Biology of Freshwater Turtles and Tortoises: A Compilation Project of the IUCN/SSC Tortoise and Freshwater Turtle Specialist Group.* Chelonian Research Monographs 5(7).